



Mastercool® Inc.
"World Class Quality"

Test Equipment Depot
1-800-517-8431

99 Washington Street
Melrose, MA 02176
Phone 781-665-1400 Toll
Free 1-800-517-8431

Visit us at www.TestEquipmentDepot.com

69365 115V - 60 HZ

TWIN TURBO

REFRIGERANT RECOVERY MACHINE

Mastercool's Heavy Duty Recovery Machine with 50 lb DOT Tank for Buses and Fleet Applications feature's a double piston compressor and cooling by the largest fan and condenser in the market making the 69365 the most complete solution to your recovery needs!

The 69365 unit offers an oil separation module, filter dryer and sight glass.



Features & Benefits:


- Revolutionary double piston oil-less compressor
- Safety high pressure switch
- Simple internal structure for field service
- Largest volume recovery rate in market
- For use with all refrigerants including R410A
- Injection molded high density polyethylene case for maximum durability
- Front cover has bumper guards built in to reduce damage to the control knobs

Specifications:

- 1/2 HP Oil Less Compressor
- Recovery Rate:
 - Direct vapor up to .526 lb/min
 - Direct liquid up to 4.75 lb/min
 - Push pull up to 11.68 lb/min
- Operating Temperature: 32 to 122°F
- Weight: 28.3 lbs
- Dimensions: 18" (l) x 10" (w) x 14" (h)
- Case Material is HDPE (High Density Polyethylene)
- Compatible Refrigerants: All CFC, HCFC, and HFC's


Liquid Recovery (ln) lb/min

• Temperature: 79 to 82°F / Refrigerant: R134a



Vapor Recovery (ln) lb/min

• Temperature: 79 to 82°F / Refrigerant: R134a



Push Pull lb/min

• Temperature: 79 to 82°F / Refrigerant: R134a

