DISTANCE

Operating & Instruction Manual



Test Equipment 99 Washington Street 1-800-517-8431

Depot Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431



INTRODUCTION

The Cable Distance Meter is a unique, handheld instrument, primarily used for the measurement of the height of overhead cables. The Cable Distance Meters measure up to 6 cables.

The CDM-50 model measures to a height of up to 50 feet (15m). The CDM-75 model has an increased range of up to 75 feet (23m). The unit operates by transmitting an ultra-sonic signal towards the wires, and measuring the time it takes to pick up the echo from that signal. It automatically compensates for the fact that the speed of sound varies with temperature by monitoring the ambient temperature using the internal temperature sensor. The display continuously shows the ambient temperature reading. Because the temperature sensor reacts relatively slowly to large temperature changes, it is necessary to wait up to 10 minutes for the temperature reading to stabilize after taking the meter suddenly from a warm to a cold environment before taking a measurement, e.g. taking the unit from inside a warm vehicle to outside. Isolate the CDM from any hot surface such as sun warmed pavement using a notebook or several sheets of paper.



TO MAKE A MEASUREMENT

- 1. Select the required measurement units by setting the switch at the back of the unit to display in feet and inches (I) or meters (M).
- 2. Set the Calibrate switch to the CABLE position.
- 3. Press the ON key to power on the unit.
- 4. Position unit directly under the cable(s) to be measured.
- 5. Press and hold the MEASURE key to take a measurement. The distance to the first cable is shown in the Height Measurement location in the display. If there is more than one cable present, the difference in height between each cable is stored in memory.
- Press the READ CABLES 1-6
 key to display each of the
 cable height differences
 stored in memory (Stored
 Measurements). The unit will
 automatically turn off
 3 minutes after the last key
 has been pressed.

All measurements are displayed in the format feet.inches followed by fractions of an inch.



Hints & Guidelines

Position the unit on the ground, directly underneath the cable to be measured. Align the unit in the direction of the cable, with the cone pointing towards the cable, as shown.


When taking cable measurements, ensure that there are no walls or buildings within a distance of 7 feet (2m) on either side of the meter, as reflections from these will distort the readings. Also ensure there are no trees or other overhanging objects in the vicinity.

When measuring more than one cable, ensure that none of the cables are outside the sonic beam, as shown in the Performance section of this manual. If the cables are not vertically above one another, this could be the case. In this instance, it will be necessary to take a number of separate readings from different positions.

Front View

Water and moisture can cause the Cable Distance Meter to malfunction. Therefore, the meter should not be used in rain or snow. If water does get into the cone, leave it upside down in a dry, warm area.

If the display shows ———, this indicates a "poor target" and normally happens when the cables are moving due to wind, etc. Wait until the wind dies down to get an accurate reading.



CALIBRATE MODE

The Calibrate mode switch allows the user to periodically check the unit to ensure that it is still operating within specification. For cable distance measurement, this switch should be in the CABLE position. When the switch is put to the WALL position, horizontal measurements to large objects, e.g. walls, can be taken.

When the unit is first used, a horizontal reading to an object, e.g. wall, from a fixed position should be taken. The reading should be entered, together with the date, into the table below. Whenever the unit is to be checked for accuracy, a reading should be taken from the same point, noting the result and date in the table. If the reading is outside of specification, the unit should be returned to HD Electric for calibration.

Date			
Reading			

TROUBLESHOOTING

The following is a list of actions to be taken if the unit is not working properly:

SCREEN IS BLANK

Check to make sure the battery is inserted correctly. Open battery door on the bottom rear of the unit. The battery is inserted with the terminals on the inside. The + and - symbols on the battery should match the corresponding + and - symbols on the inside of the battery compartment.

UNIT DOES NOT MEASURE ALL WIRES


Ensure that horizontal distances between wires are within the sonic beam, as shown in the Performance section of this manual.

INCORRECT READINGS


Ensure the Calibrate mode switch is in correct position, i.e. CABLE for cable height measurement, and WALL for horizontal distance to object measurement. Ensure no walls or similar obstructions are within 7 feet (2m) of either side of the unit, as reflections from these can interfere with correct operation.

SPECIFICATIONS

	Model CDM-50	Model CDM-75	
1 inch (25mm) Cable Diameter	10' - 50' (3m – 15m)	10' - 75' (3m – 23m)	
0.5 inch (12mm) Cable Diameter	10' - 50' (3m – 15m)	10' - 50' (3m – 15m)	
0.25 inch (5.5mm) Cable Diameter	10' - 40' (3m – 12m)	N/A	
0.125 inch (2.5mm) Cable Diameter	10' - 33' (3m – 10m)	N/A	
No. of wires measured	6	6	
Accuracy	0.5% ± 2 digits		
Resolution (less than 33')	0.25" (5mm)		
Resolution (more than 33')	0.5" (10mm)		
Minimum gap between wires	6" (150mm)		
Operating Temp. Range	14° F to 104° F (-10° C to 40° C)		
Battery Life	50,000 measurements (Long Life Alkaline type)		
Measurement units	Imperial (feet/inches) or metric (meters)		
Auto power off delay	3 minutes		
Dimensions	8.5" x 4" x 3" (205mm x 100mm x 70mm)		
Weight	1.1 lb. (0.5kg)		



CDM-50 Measurement versus Cable Diameter



CDM-75 Measurement versus Cable Diameter

TERMS AND CONDITIONS OF SALE

HD Electric Company is herein referred to either as "HDE" or "Seller" and the customer or person or entity purchasing goods or services (hereinafter collectively referred to as "Goods") is referred to as the "Buyer". These Terms and Conditions, any price list or schedule, quotation, acknowledgment or invoice from HDE relevant to the sale of the Goods and all documents incorporated by specific reference therein, constitute the complete and exclusive statement of the terms of the agreement governing the sale of Goods by HDE to Buyer, Buyer's acceptance of the Goods will make buyer's assertance to these terms and conditions without variation or addition. Any different or additional terms in Buyer's purchase order or other Buyer documents are hereby objected to. HDE reserves the right in its sole discretion to refuse orders.

1. PRICES AND TAXES: Unless a fixed price is quoted, the price at which this order is accepted is subject to adjustment to HDE's price in effect at the time of order. Any current or future tax or governmental charge (or increase in same) affecting Seleri's costs or production, sale or delivery or which Seleri is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods (but excluding any tax on Seleri's net increase part of the Order is a contract or the order is a consumption of the order is a contract or the order is a contract or

2. TERMS OF PAYMENT: Terms are stated on HDE's invoice in U.S. currency. HDE shall have the right, among other remedies, either to terminate this agreement or to suspend further performance under this and/or other agreements with the Buyer in the event Buyer falls to make any payment when due, which other agreements Buyer and Seleth hereby in earned accordingly, or HDE otherwise deems itself insecure. Buyer shall be liable for all expenses, including attorneys' less, retaining to the collection of past due amounts. Should Buyer is financial responsibility become unastiended to HDE. Cash payments or security staffscarlory to HDE may be required by HDE for fluture deliveries and for the goods therefolder delivered. If such cash payment or security is not provided, in addition to HDE's other rights and remedies, HDE may discontinue deliveries. HDE may apply a finance change for payments made by credit card.

3. SHPMENT AND DELNERY. Unless otherwise expressly provided, shipments are made F.O.B. HDE's shipping point, Risk of loss or dramaps and responsibility shall pass from HDE to Buyer topon delivery to and inceptly promormor carriers. Any claims for shortages or dramages and selfered in transit are the responsibility of buyer and shall be sub-unified by the Buyer directly to the carriers. Shortages or dramages must be acknowledged and signed for at the time of delivery, While HDE will use all responsible commercial efforts to maintain the delivery date(s) acknowledged or quoted ship HDE, all shipping dates are approximate and not guaranteed. HDE reserves the right to make partial shipments. HDE, at the principal carriers are provided ship with the ship and the ship of the

4. HDE LIMITED WARRANTY: HDE covers is products with a manufacturer's warranty against defects in material or workmanship or the versus to expend or fire years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances for a period of new years in the case of Capacitor Controls and in all other circumstances or a period of the years in the case of Capacitor Controls and in all other circumstances or a period of the years in the case of Capacitor Controls of a period of the years in the Case of Capacitor Controls of the years of the Capacitor Controls of the Years of Ye

5. LIMITATION OF REMEDY AND LIABILITY: THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY HEREUNDER SHALL BE LIMITED TO REPAIR, CORRECTION, REPLACEMENT OF CREDIT UNDER SECTION 4. HID SHALL NOT BE LIABIL FOR DAMAGES CAUSED BY DELAY IN PERFORMANCE, AND IN NO EVENT, REGARDLESS OF THE FORM OF THE CHAIN OF THE CHAIN OF ACTION WHITE THE PROPERTY OF THE CHAIN OF THE C

6. EXCUSE OF PERFORMANCE (FORCE MAJEURE): HDE shall not be liable for delays in performance or for non-performance due to acts of God, acts of Buyer, war, fire; flood; weather; sabotage; strikes, labor disputes, o'dil disturbances or rioks; governmental requests, restrictions, allocations, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or events beyond HDE's reasonable control. Deliverse or other performance may be suspended for a naceportage bend or cancelled by HDE govn notice to line the event of any of the foregoing, but the belance of this agreement shall otherwise remain unaffected. IHDE determines that its ability to supply the total demand for the Goods, or to obtain material used directly or indirectly in the manufacture of the Goods, is hindered, limited or made impranticable use to causes set forth herein, HDE may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or materials) among itself and its purchasers on such basis as HDE determines to be equitable without liability for any failure of performance which may result therefrom.

7. CHANGES: HDE reserves the right to change designs and specifications for standard Goods without prior notice to Buyer, but not with respect to custom Goods being made for Buyer. HDE shall have no obligation to install or make such change in any Goods manufactured prior to the date of such change.

8. ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or any interest herein without the prior written consent of HDE, and any such assignment, without such consent, shall be void.

9. INSTALLATION: Buyer shall be responsible for receiving, inspecting, testing, storing, installing, starting up and maintaining all Goods

10. NSPECTIONTESTING: Buyer, at its exposes, agrees that it will promptly inspect the Goods upon receipt thereof, and in no event inset than thirty (30) days from the date of receipt of the Goods. Buyer shall deliver in IDE within iffering its light and indicated into the control, but in or went let than Indy-lived (36) days from the date of receipt of the Goods so received by Buyer. In the event no such written notice of any and all deficiencies, deficiency activates may be exposed and under control into the c

11. SERVICES: If this agreement requires HDE to perform or provide any services, HDE (including without limitation its successors, assigns, agents or any person or entity acting at HDE's direction) shall not be responsible for any damages, claims, liabilities or expenses of any nature arising out of such services.

12. U.S. EXPORT CONTROL LAWS: All Goods sold to Buver by HDE hereunder are subject to U.S. Export Control Laws. Buver hereby agrees not to re-sell or divert any goods contrary to such laws

13. COMPLIANCE: Selen/Contractor shall comply with all applicable federal, state or local laws, niles, regulations, or orders. Selen/Contractor shall comply with Executive Order 11246, as amended by Executive Order 1375, and the applicable provisions for the Office of Federal Contract Compliance Programs (POCFO-), 41 CFR Part 80, which are incorporated herein by their reference, Buyer shall comply with all applicable federal, state, or local laws, rules, regulations or orders including but not limited to the Foreign Corrupt Practices Act of 1977, as amended. HDE reserves the right to delay or refuse delivery if requests for reasonable assurances of Buyer's compliance are not included as required.

14. MISCELLANEOUS: These terms and conditions supersede all other communications, negotiations and prior or all or written statements regarding the subject matter hereof. No change, modification, rescision, dischange, bandorionment, or waiver of these terms and conditions shall be binding upon HDE unless made in writing and signed on its behalf by its duy authorized representative. No conditions, usage or trade, course of dealing or performance, undestanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless hereafter made in writing and signed by Seller. No modification shall be effected by HDE's receipt or acceptance of Buyer's purchase orders, shipping instruction forms, of other documentation containing terms at variance with or in addition to those self forth herein, all of which are objected by HDE. No waiver by HDE with respect to any threat or default of any order of dealing, shall be deemed to constitute a continuing waiver of any other breach or default of any other right or remedy, unless such waiver be expressed in writing and signed by HDE. All typographical or derical errors made by HDE in any quotation, acknowledgment or of the signed enter shall be governed by such of the state of limits without regard to its conflict of law principles.

15. DISPUTE RESOLUTION: In the event of any dispute INCLUDING, BUT NOT LIMITED TO, BREACH OF CONTRACT, BREACH OF WARRANTY, CLAIMS BASED IN TORT, NEGLIGENCE, PRODUCT LIABILITY, FRAUD, MARKETINN, STATE OR FEDERAL REGULATIONS, ANY CLAIMS REGARDING THE ENFORCEABILITY OF THE LIMITED WARRANTY, AND THE WAIVER OF CLASS ACTION TRULS between Buyer and seller, either may choose to resolve the dispute by brinding arbitration, as described below, instead of in court. THIS MEANS IF EITHER BUYER OR SELLER OF HOOSE BINDING ARBITRATION. NETHER PARTY SHALL HAVE THE RIGHT TO LITICATE SUIC OLCAIM IN COURT OR HAVE A JURY TRULL DISCOVERY AND APPEAL RIGHTS ARE LIMITED IN BINDING ARBITRATION. Buyer and Seller agree that the proper would arbitration in or to so chosen by Buyer or Seller of all actions arising in connection herewish shall be only in the state of limics and the passe gain to submit to social regarders out, insections, or officers, or officers, and the properties are properties and the properties are properties and the properties are properties. The properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties are properties. The properties are properties are properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties. The properties are properties are properties and the properties are properties are properties.

16. CLASS ACTION WAIVER: BINDING ARBITRATION MUST BE ON AN INDIVIDUAL BASIS. THIS MEANS NEITHER BUYER NOR SELLER MAY JOIN OR CONSOLIDATE CLAIMS IN ARBITRATION BY OR AGAINST OTHERS, OR LITIGATE IN COURT OR ARBITRATE ANY CLAIMS AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY. ADMINISTRATION OF ARBITRATION AND ARBITRATION AND ARBITRATION ARE ARBITRATION. THE MATERIAN AND ARBITRATION ARE ARBITRATION. THE MATERIAN ARE ARBITRATION AND ARBITRATION ARE ARBITRATION. THE MATERIAN ARE ARBITRATION ARE ARBITRATION. THE MATERIAN ARBITRATION ARE ARBITRATION ARBITRATION ARE ARBITRATION. THE MATERIAN ARBITRATION ARBI

HD Electric Company is committed to ongoing review and improvement of its product lines, and thus reserves the right to modify product design and specifications without notice.

HD Electric Company® products are available through HDE® sales representatives worldwide.

HD Electric products receive final assembly and shipment from HDE's production facility at

Suite 400 - 4320 Executive Drive, Southaven, MS 38672.

HD Electric Company is ISO 9001:2015 certified